

Township N: XIV north, Range N: II West 2: Mer.

Surveyed by Henry Bryan, 1821.

IND

Description of the Soil on the interior sectional lines.

Between Sections	Quality &c	Between Sections	Quality &c	Between Sections	Quality &c
33.36	Land, good 2 nd rate, Oak, Poplar, Sugar, Maple, Spruce	173	Land, good 2 nd rate, Walnut, Poplar, Beech, Maple, Spruce	479	Land 2 nd rate, Oak, Walnut, Oak, Maple, Spruce
22.36	Same	33.34	Same	41.8	Same
23.34	Same	27.34	Same	21.32	Same
25.24	Same, falling ground, timber same	27.25	Same	29.32	Same
22.24	Land, 1 st rate	22.24	Same	30.31	Same
13.24	Land 1 st rate, Walnut, Sugar, Elm, Maple, Spruce	21.22	Same	29.31	Same
10.14	Same 2 nd rate	15.22	Same	28.29	Land, good 2 nd rate, Sugar, Maple, Walnut, Spruce
12.13	Same	15.16	Same	19.30	Same
11.12	Same	17.18	Land 2 nd rate, Beech, Walnut, Oak, Maple, Spruce	19.20	Same 1 st rate
1.12	Same	9.11	Same	17.20	Same
1.11	Same	3.11	Same	15.19	Same
31.23	Land 2 nd rate, Oak, Oak, 1 st Maple, Spruce	3.11	Same	14.18	Same
16.23	Same	32.33	Same	18.17	Same
26.24	Land 1 st rate, Walnut, Poplar, Beech, Maple, Spruce	28.33	Same	18.17	Same
23.26	Same	28.29	Same	18.17	Same
17.25	Same 2 nd rate	21.28	Same	18.17	Same
14.23	Same	10.21	Same	18.17	Same
14.15	Same	16.11	Same	18.17	Same
11.14	Same, Brushy	16.11	Same	18.17	Same
11.11	Same, good	9.16	Same	18.17	Same
2.11	Same	18.17	Same	18.17	Same

Township 11.25 North, Range 11.2 West of 1st Meridian

Interior Section Corners described

Interior Quarter Corners described

Corners on Mabash River

Posts	Bearing	Feet	Course	Notes
A				
B				
C				
D				
E				
F				
G				
H				
I				
J				
K				
L				
M				
N				
O				
P				
Q				
R				
S				
T				
U				
V				
W				
X				
Y				

From & To	Bearing	Feet	Course	Notes
I to X				
J to Y				
K to P				
L to Q				
M to R				
N to S				
O to T				
U to V				
W to X				
Y to Z				

From & To	Bearing	Feet	Course	Notes
I to X				
J to Y				
K to P				
L to Q				
M to R				
N to S				
O to T				
U to V				
W to X				
Y to Z				

Posts	Bearing	Feet	Course	Notes
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				

Township 10 N. 25 North, Range 12 E. 1st 9th Meridian

Interior Section Corners described

Posts	Bearing true	Dist. chain	Course true	Angle true	Quality of the Soil	From & to Section	Bearing true	Dist. chain	Course true	Angle true	From & to Section
A						1 to 2					1 to 2
a						2 to 3					2 to 3
B						3 to 4					3 to 4
b						4 to 5					4 to 5
c						5 to 6					5 to 6
e						6 to 7					6 to 7
D	Elm	16	S 1 E 6 35			7 to 8					7 to 8
d	do	16	S 1 N 6 31			8 to 9					8 to 9
E	Buckeye	12	N 33 W 11			9 to 10					9 to 10
e	Elm	10	S 28 E 34			10 to 11					10 to 11
F	H. Oak	12	S 1 E 34			11 to 12					11 to 12
f	Sugar	24	N 4 N 12			12 to 13					12 to 13
G	Sugar	15	S 30 N 25			13 to 14					13 to 14
g	Hickory	12	S 19 E 23			14 to 15					14 to 15
h	Hickory	9	S 50 E 6			15 to 16					15 to 16
H	do	9	S 22 E 15			16 to 17					16 to 17
H	Beech	12	S 40 E 6			17 to 18					17 to 18
h	do	12	S 40 N 28			18 to 19					18 to 19
I	H. Oak	10	S 35 N 15			19 to 20					19 to 20
i	Elm	10	S 33 E 2			20 to 21					20 to 21
I	Sugar	10	S 42 E 23			21 to 22					21 to 22
i	Hickory	20	S 39 N 35			22 to 23					22 to 23
i	Hickory	10	S 35 N 2			23 to 24					23 to 24
B	do	10	S 32 E 31			24 to 25					24 to 25
B	H. Oak	8	S 8 N 5			25 to 26					25 to 26
B	do	9	S 17 N 21			26 to 27					26 to 27
B	Buckeye	10	S 48 N 6			27 to 28					27 to 28
B	do	14	S 39 E 24			28 to 29					28 to 29
T	Beech	12	S 32 N 26			29 to 30					29 to 30
T	do	20	S 64 E 41			30 to 31					30 to 31
l	Sugar	6	S 42 N 11			31 to 32					31 to 32
M	Beech	9	S 40 N 3			32 to 33					32 to 33
M	Beech	24	S 38 E 12			33 to 34					33 to 34
m	Sugar	12	S 31 N 23			34 to 35					34 to 35
m	Beech	12	S 30 E 22			35 to 36					35 to 36
N	Beech	20	S 35 E 42			36 to 37					36 to 37
N	H. Oak	12	S 45 E 21			37 to 38					37 to 38
N	H. Oak	25	S 42 N 33			38 to 39					38 to 39
n	Beech	24	S 41 E 35			39 to 40					39 to 40
O	do	9	S 49 E 27			40 to 41					40 to 41
O	Beech	9	S 46 E 8			41 to 42					41 to 42
O	do	8	S 62 N 1			42 to 43					42 to 43
O	Beech	6	S 80 E 8			43 to 44					43 to 44
O	H. Oak	10	S 30 N 20			44 to 45					44 to 45
P	Beech	10	S 31 E 13			45 to 46					45 to 46
P	do	10	S 30 N 9			46 to 47					46 to 47
P	Beech	10	S 43 E 14			47 to 48					47 to 48
P	Sugar	18	S 22 E 13			48 to 49					48 to 49
Q	Beech	9	S 52 E 13			49 to 50					49 to 50
Q	do	12	S 33 N 21			50 to 51					50 to 51
Q	Beech	12	S 32 N 14			51 to 52					51 to 52
Q	do	12	S 32 E 39			52 to 53					52 to 53
Q	Beech	12	S 20 E 20			53 to 54					53 to 54
Q	do	9	S 44 N 26			54 to 55					54 to 55
R	Hickory	12	S 44 N 26			55 to 56					55 to 56
R	Walnut	5	S 44 E 15			56 to 57					56 to 57
R	H. Oak	24	S 44 E 15			57 to 58					57 to 58
R	Sugar	30	S 11 N 12			58 to 59					58 to 59
R	Hickory	24	S 51 N 42			59 to 60					59 to 60
R	Beech	24	S 51 E 34			60 to 61					60 to 61
R	H. Oak	9	S 23 N 23			61 to 62					61 to 62
R	Sugar	30	S 41 E 40			62 to 63					62 to 63
U						63 to 64					63 to 64
U						64 to 65					64 to 65
U						65 to 66					65 to 66
U						66 to 67					66 to 67
U						67 to 68					67 to 68
U						68 to 69					68 to 69
U						69 to 70					69 to 70
V	Sugar	18	S 19 E 13			70 to 71					70 to 71
V	do	30	S 3 N 1			71 to 72					71 to 72
V						72 to 73					72 to 73
V						73 to 74					73 to 74
V						74 to 75					74 to 75
V						75 to 76					75 to 76
V						76 to 77					76 to 77
V						77 to 78					77 to 78
V						78 to 79					78 to 79
V						79 to 80					79 to 80
V						80 to 81					80 to 81
V						81 to 82					81 to 82
V						82 to 83					82 to 83
V						83 to 84					83 to 84
V						84 to 85					84 to 85
V						85 to 86					85 to 86
V						86 to 87					86 to 87
V						87 to 88					87 to 88
V						88 to 89					88 to 89
V						89 to 90					89 to 90
V						90 to 91					90 to 91
V						91 to 92					91 to 92
V						92 to 93					92 to 93
V						93 to 94					93 to 94
V						94 to 95					94 to 95
V						95 to 96					95 to 96
V						96 to 97					96 to 97
V						97 to 98					97 to 98
V						98 to 99					98 to 99
V						99 to 100					99 to 100

Corners of and around Mary Wells Reserve.

18	Buckeye	24	S 68 W 6
19	do	10	S 28 E 19
19	Hickory	24	S 13 E 20
20	Buckeye	15	S 55 W 30
20	Hickory	20	N 87 E 6
20	Beech	15	S 22 E 17
21	Sugar	24	S 47 E 20
21	do	20	N 31 W 17
22	B. Oak	30	S 36 W 9
22	Elm	12	S 34 E 7
23	W. Oak	30	S 70 W 35
23	do	15	S 70 E 14
24	Haw	10	S 11 W 38
24	Walnut	26	N 57 W 26
25	Walnut	12	S 46 E 9
25	Buckeye	10	N 14 E 16


IND

Interior Quarter Corners described

From & To	Bearing trees	Distance	Course this line	Angle dist.
M to Wad	1 Hickory	14	N 60 E 27	
	Beech	13	S 74 N 17	
	2 Beech	14	N 36 E 10	
	do	12	S 32 N 32	
	3 Sugar	15	S 52 E 26	
	do	15	N 52 N 32	
	4 Buckeye	10	N 25 N 27	
	Elm	24	S 4 N 14	
	5 Beech	15	N 36 E 42	
	do	20	S 34 N 47	
A to V	6 Buckeye	24	S 15 N 5	
	H. Oak	20	S 45 E 12	
	1 Beech	15	N 74 N 25	
	do	10	S 73 E 22	
	2 Beech	10	S 72 N 18	
	do	10	S 42 N 20	
	3 Elm	14	N 30 E 16	
	Walnut	11	S 8 N 43	
	4 Buckeye	15	S 1 N 0	
	Sugar	14	S 15 E 45	
H. to W	5 Sugar	14	S 17 N 21	
	Walnut	14	S 10 E 36	
	6 Elm	10	S 30 E 32	
	Sugar	15	S 26 N 23	
	1 Hickory	21	S 50 N 22	
	H. Oak	10	S 33 E 17	
	2 Sugar	30	S 39 E 31	
	Walnut	14	S 26 E 4	
	3 Sugar	20	N 35 N 21	
	Beech	18	S 28 E 31	
	4 Beech	30	N 19 N 31	
	Buckeye	24	S 11 E 29	
	5 H. Oak	12	N 33 E 49	
	do	15	S 10 N 34	
6				

1 to 2	Hickory	14	S 60 E 27
2 to 3	Beech	13	S 74 N 17
3 to 4	do	12	S 32 N 32
4 to 5	Sugar	15	S 52 E 26
5 to 6	do	15	S 52 N 32
6 to 7	Buckeye	10	S 25 N 27
7 to 8	Elm	24	S 4 N 14
8 to 9	Beech	15	N 36 E 42
9 to 10	do	20	S 34 N 47
10 to 11	Buckeye	24	S 15 N 5
11 to 12	H. Oak	20	S 45 E 12
12 to 13	Beech	15	S 4 N 25
13 to 14	do	10	S 73 E 22
14 to 15	Beech	10	S 72 N 18
15 to 16	do	10	S 42 N 20
16 to 17	Beech	14	S 30 E 16
17 to 18	Hickory	11	S 8 N 43
18 to 19	Buckeye	15	S 1 N 0
19 to 20	Sugar	14	S 15 E 45
20 to 21	do	14	S 17 N 21
21 to 22	Walnut	14	S 10 E 36
22 to 23	do	10	S 30 E 32
23 to 24	Sugar	15	S 26 N 23
24 to 25	Hickory	21	S 50 N 22
25 to 26	H. Oak	10	S 33 E 17
26 to 27	Sugar	30	S 39 E 31
27 to 28	Walnut	14	S 26 E 4
28 to 29	Sugar	20	S 35 N 21
29 to 30	Beech	18	S 28 E 31
30 to 31	Buckeye	30	S 19 N 31
31 to 32	Buckeye	24	S 11 E 29
32 to 33	H. Oak	12	S 33 E 49
33 to 34	do	15	S 10 N 34

INDIANA.
N & W 2 P. M.



Contents		
Sections	Feet	Miles
Nh Nh 5	90	64 ✓
Sp " "	87	65
fr. SM " "	79	40 257.69
Nh N 6	78	28
Sp " "	80	
Nh Nh " "	63	61
Sp " "	65	88
Sp S 2	160	
Sp S 11 " "	80	
Nh " "	58	12 588.29 ✓
Sp 7	320	
Sp Nh " "	80	
Nh " "	60	67
Sp S 11 " "	80	
Nh " "	62	01 60268 ✓
fr. S. 8	66	75
fr. S. 17	87	25
N 2 18	160	
Sp Nh " "	80	
Nh " "	62	68
fr. S 2 " "	102	60
Sp S 11 " "	77	00
Nh " "	62	68 544.96 ✓
fr. S. 19	38	45
	2186	67

96A

Surgey in February 1829 - by David Hill

Scale 40' to an inch

Per. 60-15.8

IND


OK

A true copy of the original filed in the Office
Surveyor General's Office Sept. 15. 1829 -

Edward P. Finner

Son the Map

INDIANA.
N & W 2 P. M.





Scale of 40 Chas. to an inch.

Edward Tiffin Pres. Gen

25-2

Scale ten chains
to an inch.




A true ^{copy} from the recorded Plat

Sur. Genl's office, } C. S. Plaines
Cincinnati Feb. 8. 1841 } Sur. Genl.

Received at Crawfordville
February 15th 1841

Township N. XIV North, Range N. II West 2nd Mer.



Contents		
Section	acres	#s
N. 1/2 NW 5	90 64	
S. 1/2 " "	87 65	
f. S. 1/2 " "	79 40	
N. 1/2 NE 6	78 28	
S. 1/2 " "	80	
N. 1/2 NW " "	63 61	
S. 1/2 " "	68 88	
S. 1/2 SE " "	160	
E. 1/2 S. 1/2 " "	80	
W. 1/2 " "	58 22	
E. 1/2 " "	320	
E. 1/2 NW " "	80	
N. 1/2 S. 1/2 " "	60 67	
E. 1/2 S. 1/2 " "	80	
W. 1/2 " "	62 01	
f. Sec. 8	66 75	
f. Sec. 17	87 25	
NE 1/4 18	160	
E. 1/2 NW " "	80	
W. 1/2 " "	62 68	
f. SE 1/4 " "	102 60	
E. 1/2 S. 1/2 " "	77 00	
W. 1/2 " "	62 68	
f. Sec. 19	38 45	
Total	2,186 67	

Surveyed in February, 1829 - by David Hillis D. S.

Scale 40 ch. to an inch

A true copy of the original, filed in this office
 Surveyor General's Office
 1st April, 1829.

Edward Tiffin Secy